

Attorney's  
Docket No.: I0158/7021

Express Mail Label No.: EL 844 453 868 US

-2-

8. A method of bleed-printing, comprising acts of:  
inserting a product to be printed into a printer, the product being attached to a carrier  
having at least one edge that extends beyond at least one edge of the product;  
bleed-printing on the product so that printed matter extends beyond the at least one edge  
of the product; and  
removing the product from the carrier.

9. The method of claim 8, wherein the act of bleed-printing includes an act of bleed-  
printing on the product so that printed matter extends beyond the at least one edge of the product  
and onto the at least one edge of the carrier.

A<sub>1</sub>  
10. A printed product comprising:  
a carrier;  
a sheet attached to the carrier with an adhesive, the sheet being smaller, in at least one  
dimension, than the carrier;  
printed matter disposed on the sheet so that the printed matter extends beyond at least one  
edge of the sheet;  
wherein the adhesive leaves substantially no tacky residue on the sheet when it is  
removed from the carrier.

11. A product comprising:  
a carrier;  
a sheet attached to the carrier with an adhesive, the sheet being smaller, in at least one  
dimension, than the carrier;  
wherein the adhesive leaves substantially no tacky residue on the sheet when it is  
removed from the carrier.

12. A product, comprising:  
a carrier;

Attorney's  
Docket No.: I0158/7021

Express Mail Label No.: EL 844 453 868 US

-3-

a sheet attached to the carrier, the sheet being smaller, in at least one dimension, than the carrier;

wherein the sheet, upon removal from the carrier, is substantially free of tacky residue.

13. A method of bleed-printing, comprising acts of:  
inserting a sheet into a printer, the sheet having a first perforation that extends along a first edge of the sheet to form a first margin;  
bleed-printing on the sheet so that printed matter extends across the first perforation; and  
removing the first margin.

14. The method of claim 13, wherein the sheet has a second perforation that extends along a second edge of the sheet to form a second margin and wherein the act of bleed-printing includes an act of bleed printing on the sheet so that the printed matter extends across the first perforation and across the second perforation; the method further comprising an act of:  
removing the second margin.

15. The method of claim 14, wherein the sheet has a third perforation and a fourth perforation, the third perforation extending along a third edge of the sheet and intersecting the first and second perforations to form a third margin, and the fourth perforation extending along a fourth edge of the sheet and intersecting the first and second perforations to form a fourth margin, wherein the act of bleed-printing includes a act of bleed printing on the sheet so that the printed matter extends across the first, second, third, and fourth perforations, the method further comprising an act of:

removing the third and fourth margins.

16. A method of bleed-printing, comprising acts of:  
bleed-printing on a sheet so that printed matter extends across a first perforation in the sheet and onto a first margin of the sheet; and  
removing the first margin.

Attorney's  
Docket No.: I0158/7021

Express Mail Label No.: EL 844 453 868 US  
-4-

17. A printed product, comprising:

a sheet having a perforation formed therein, the perforation defining an area inside of the perforation, and a margin outside of the perforation between the perforation and an edge of the sheet;

printed matter disposed on the area of the sheet and extending beyond the perforation onto the margin;

wherein upon removal of the margin, the printed product is bleed-printed.

18. A product, comprising:

a sheet having a perforation formed therein, the perforation defining a printable area inside of the perforation and a margin outside of the perforation between the perforation and an edge of the sheet;

wherein at least a portion of the margin is adapted to receive printing without smudging

19. A product for use with a printer having a paper handling mechanism, the product comprising:

a sheet having a perforation formed therein, the perforation defining a printable area inside of the perforation and a margin outside of the perforation between the perforation and an edge of the sheet;

wherein the margin is adapted to receive printed matter and prevent the printed matter from being applied to the paper handling mechanism of the printer.

20. A product for use with a printer having a paper handling mechanism, the product comprising:

a sheet having a perforation formed therein, the perforation defining a printable area inside of the perforation; and

means for preventing printed matter from being applied to the paper handling mechanism of the printer.

Attorney's  
Docket No.: I0158/7021

Express Mail Label No.: EL 844 453 868 US  
-5-

21. A product, for use with a printer having a paper handling mechanism, the product comprising:

a sheet having a plurality of perforations formed therein, each perforation of the plurality of perforations adjoining at least one other perforation of the plurality of perforations to define an area that is bounded by the plurality of perforations and at least one margin that is outside of the plurality of perforations;

wherein the at least one margin is adapted to receive printed matter and prevent the printed matter from being applied to the paper handling mechanism of the printer.

22. A product, comprising:

a sheet formed from a printable medium, the sheet including

a first perforation formed in the sheet that defines a first margin in the sheet,

a second perforation formed in the sheet that defines a second margin in the sheet, the second perforation intersecting the first perforation,

a third perforation formed in the sheet that defines a third margin in the sheet, the third perforation intersecting the second perforation, and

a fourth perforation formed in the sheet that defines a fourth margin in the sheet, the fourth perforation intersecting the third perforation.

23. The product of claim 22, wherein the fourth perforation intersects the first perforation to define an area inside the first, second, third and fourth margins that is surrounded by the first, second, third and fourth margins.

24. The product of claim 23, wherein the area defined inside the first, second, third, and fourth margins defines a rectangle.